

Performance Analysis of ANN Based DC To DC Converter

PRIYA THAKUR¹, DR.NAGENDRA TRIPATHI², Dr.HEENA MISHRA³
MtechScholar¹, Professor², Assistant Professor³
Dept of Electrical & Electronics Engineering, Bhilai Institute Of Technology ,Durg(C.G)

Abstract

Because of the fast advancement of renewable energy technologies, the idea of microgrid (MG) is becoming more commonly adopted in power systems. DC MG is gaining popularity due to the benefits of the DC distribution system, including as easier integration of energy storage and lower system loss. The linear controller, such as PI or PID, is established and widely used in the power electronics sector, but its performance degrades as system parameters change. In this paper, an artificial neural network (ANN)-based voltage control technique for a DC-DC boost converter is developed. The model predictive control (MPC) is employed as an expert in this study, providing data to train the suggested ANN. Because ANN is highly adjusted, it is used directly to regulate the step-up DC converter. The key benefit of the ANN is that it reduces the inaccuracy of the system model even with erroneous parameters and has a lower computing overhead than MPC owing to its parallel nature. Extensive MATLAB/Simulink simulations are run to validate the performance of the proposed ANN. The simulation findings reveal that the ANN-based control method outperforms the PI controller under various loading situations. The trained ANN model has an accuracy of roughly 97%, making it acceptable for DC microgrid applications..

Index Terms—ANN, DC Microgrid, DC/DC boost converter, MPC, Primarycontrol.

Date of Submission: 01-02-2023

Date of acceptance: 11-02-2023

I. INTRODUCTION

The exhaustion of fossil fuels and the effects of global warming brought attention to renewable energy. As a result, the usage of DC/DC converters is quickly expanding in a wide range of applications, including energy storage systems, electric cars, solar systems, wind turbines, and other systems where multiple voltage levels of loads are linked [1] to [3]. Figure 1 depicts the DC MG block diagram. Renewable energy sources (RES) including solar and wind, energy storage systems (ESS), and DC loads are the major components of DC MG. The bus is connected to each RES and ESS through a power electronic interface (PEI). Therefore, effective control over the PEIs is required. The PE industry heavily utilises the proportional-integral (PI) and proportional-integral-derivative (PID) linear controllers, two types of linear controllers that the research community has extensively proposed [4]–[6]. However, the linear controller has certain practical drawbacks, including inadequate disturbance rejection, tuning of gains, moving of the converter's operating point towards

instability owing to changes in system parameters, and inability to address the power system's non-linearities. Numerous nonlinear control strategies, including as fuzzy logic control (FLC), sliding mode control (SMC), and model predictive control (MPC), have been developed to address the aforementioned problems as well as try to enhance transient behaviour. For PV-based lighting systems, FLC for DC converter is provided in [7]. [8] has researched FLC implementation for DC power converters utilising microcontrollers.

FLC primarily utilizes the if-else statement, and its output is determined by predetermined rules that employ this logic. FLC can handle the system's non-linearity and does not require any mathematical system models. Under various circumstances, FLC for DC/DC converter voltage control is also good. Numerous investigations, however, demonstrate that since it lacks rigorous analysis, it is an unreliable controller. Therefore, the literature contains an amalgam of several control strategies to counteract FLC's drawbacks.[9].




Fig. 1. Possible structure of single bus DC MG, including renewable energy sources such as solar and wind, energy storage systems, and DC load.

Model predictive control and slide mode control have been developed, extensively investigated, and are now promising options for power electronic converter applications. Variable structure control theory is the foundation of slide mode control. Its fundamental idea is broken down into two phases. The user-defined sliding layer is forcibly inserted into the system state trajectory. The second phase, known as the sliding phase, occurs after the reaching phase. In this phase, state trajectories determined by the user on the basis of application.

It performs well, is resistant to parametric changes, and has excellent transient response under

various loading circumstances. However, the primary obstacles to its implementation include chattering problems, significant switching losses, and difficult mathematical modelling [11], [12]. MPC is a digital control technique that differs from linear control in terms of its fundamentals. It predicts the behaviour for all potential input configurations using the discrete-time model of the converter and its filter. Despite creating a separate loop for each controlled variable and cascading them together, like in the case of linear controllers, one of the inputs with the least (i.e., optimal) value of the predetermined cost function (CF) is chosen and applied to the upcoming sampling instant [13].




Fig. 2. Overview of the proposed control strategy. During the training phase, the classical MPC is used to control the DC/DC converter and collect the training data. In the test phase, the trained ANN is implemented to control the voltage of the converter instead of MPC [10].

MPC is a digital control technique that differs from linear control in terms of its fundamentals. It predicts the behaviour for all

potential input configurations using the discrete-time model of the converter and its filter. Despite creating a separate loop for each controlled variable

and cascading them together, like in the case of linear controllers, one of the inputs with the least (i.e., optimal) value of the predetermined cost function (CF) is chosen and applied to the upcoming sampling instant [13]. The Euclidean distance between the controlled and reference signals is essentially squared in the formula for CF. Although it has a high computing cost, variable switching frequency, and performance that depends on the mathematical model of the system, several recent research have proposed a constant switching frequency based MPC for a variety of power electronic applications [12], [14], and [15].

In the field of power converters, data-driven or model-free control approaches, and particularly ANN-based systems, are expanding [16]. In order to directly control a three-phase inverter with an output LC filter and obtain improved steady and dynamic performance, an ANN-based control technique has been developed in [10]. A similar control method was put out by authors in [17] for a three-phase flying capacitor multi-level inverter (FCMLI). A neural network predictive-based voltage control for the DC/DC buck converter is suggested in [18]. To train NN, the author used data from PID controllers. The voltage is regulated using neural network predictive control (NNPC) after training. In [19], a NNPC controller for synchronverters linked to the grid is presented.

Generally general, ANN-based controllers are superior because they compared to other

controllers due to the following reasons [10], [20]:

- They do not require an explicit mathematical model of the system.
- Their performance is Following the extraction of the necessary data, several input feature combinations are selected. Finally, the voltage reference, inductor current, and capacitor voltage are selected as input features, while the converter switching state is taken as output feature for the proposed ANN in this study, as illustrated in Fig. 4. The ANN is then trained using these combinations. Once the ANN is trained and has good model accuracy, the ANN model is directly used to generate the optimal switching state for the DC converter. The proposed control strategy's overview is shown in Figure 2: the training phase combines using MPC to anticipate the converter output voltage converter and collection of state variables data under full-state observation. The ANN is trained using the collected data. In the test phase, the trained neural network is employed online to control the converter's output voltage instead of MPC. The suggested control strategy's simulation results are contrasted with those of the conventional PI Controller. The remainder of the essay is structured as follows. The mathematical modeling of the DC/DC boost converter and the basic principle of MPC are explained in Section II. While the proposed ANN and its training procedure are elaborated in Section III. Section IV shows the simulation results for both ANN and PI controllers. Then, future work is discussed in Section V. Finally, Section VI presents the conclusion.




Fig. 3. Circuit diagram of the DC/DC converter.




Fig. 4. Block diagram of the proposed ANN-based control scheme for the DC/DC converter. It is trained to map directly from the measured variables, namely, V_c^* , V_c , and i_L , to the optimum switching state S_{opt} .

Output Class	Target Class		
	0	1	2
0	6342 21.1%	0 0.0%	100% 0.0%
1	825 2.7%	22834 76.1%	96.5% 3.5%
2	88.5% 11.5%	100% 0.0%	97.3% 2.7%

Fig. 5. Confusion matrix of the trained ANN based on the overall training data, where the correct and incorrect observations are highlighted in green and red, respectively.

Proposed methodology

Figure 4 demonstrates the proposed ANN-based control strategy used in this study. The accuracy of MPC depends on the mathematical modeling of the system. However, the proposed control scheme does not need the model of the system, but it requires the training dataset. It maps directly from the raw input features to the desired outputs. Therefore, the performance of the ANN does not depend upon the system model or its parameter. In this work, the reference voltage V_c^* , capacitor voltage V_c and inductor current i_L are chosen as the input features of the trained ANN-based control strategy, while the optimal switching state S_{opt} is considered as its target or output. Initially, the MPC algorithm is simulated to extract the training data, which consists of the input features and the corresponding output, i.e., input-output pairs. Then, the extracted data is used to train the ANN. In our case, the total number of training data samples is 30001. The control-loop of the proposed ANN-based control strategy, at instant k is summarized as follows:

- 1) Initially, measure i_L and V_c at instant k .
- 2) Those measured variables, along with the reference value V_c^* , are utilized by our proposed controller to directly predict the optimal switching state S_{opt} .
- 3) Then, the optimal switching state is directly applied to the converter without using any modulator.

A grid search tuning method is used for the selection of configuration with 15 neurons. Bayesian regularized technique (BRT) is used to train the ANN and adjust the biases and weights. BRT is more robust than standard propagation methods and can reduce or eliminate the need for lengthy cross-validation [21]. In this research work, 60% of the random input data is used to train the ANN, while 20% is used for testing and 20% validation. Figure 5 presents the overall confusion matrix, which is used to analyze the accuracy of the trained ANN. The correct classification of the data class is presented in the diagonal entries of the matrix, while other entries show the incorrect classification of the data. The trained ANN that has been used, in this study, has an accuracy of 97%. The trained ANN model is exported to Simulink to test




Fig. 6. Main steps of deploying the ANN-based control strategy for the DC/DC converter.

its performance under the original scenario. To sum up, the complete procedure of the learning-based control strategy is illustrated in Fig. 6, highlighting the main steps of the training and test phases.

II. SIMULATION RESULTS

The trained ANN model is exported into the Simulink model of the DC/DC converter to validate and verify the performance of the proposed control strategy. Extensive MATLAB/Simulink simulation is carried out. The performance of the boost converter with the proposed control scheme is investigated under normal load and step change of load. The simulation parameters of the converter are given in Table II.

Table II
 SIMULATION PARAMETERS.

Parameter	Value
DC Input V_m	70 [V]
Inductor value L	10×10^{-3} [H]
Resistance Value R	80×10^{-3} [Ω]
Capacitor C_f	100 [mF]
Load P	0-1500 [W]
PI Parameter K_p, K_i	0.054, 8.86
Switching Frequency	20 [kHz]

Figure 7 illustrates the performance of our proposed control strategy, considering normal load conditions. The simulation starts at $t = 0$ s, where a resistive load of 20Ω is connected with the system. The reference voltage is set to 95 V. Initially, the system takes around 20 ms to reach the reference value. After a transient period, the output voltage and current wave forms remain stable and do not show distortion. Figure 8




Fig. 7. Simulation results of the output voltage and current of the DC boost converter under normal load conditions

Shows the performance of the proposed controller from full load to no-load condition and vice versa. At $t = 0.4$ s, the load is disconnected from the system; i.e., the converter is under no-load condition. It is observed that the voltage remains stable, and the current becomes zero. While at $t = 0.5$ s, the load is again connected to the system. The voltage remains

Consequently, a high rating semiconductor switch is needed, which raises the cost of the converter and poses a risk to the DC/DC converter's switch in terms of voltage and current. In comparison to the PI controller, the ANN-based control strategy offers superior wave quality and less distortion. Additionally, the PI-based controlled converter's

stable, while the current is increased to 4.9 A. However, there is no transient observed in the simulation. After the interval of 0.6 s, further loads are added into the system to investigate the response of the proposed controller. It is observed from Fig. 8 that with increasing the load, the voltage remains stable while keeping track of the reference value with un-noticeable distortion, demonstrating the superior performance of the proposed ANN-based control scheme under different loading and transient conditions. Figure 9 presents the simulation




Fig. 8. Simulation results of the output voltage and current of the DC boost converter under full load to no-load test.




Fig. 9. Simulation results of the output voltage and current of the DC boost converter using PI and ANN-based controllers under step change of load.

outcomes of our suggested controller with a step change in load. At time $t = 0.5$ seconds, the DC load doubles. We can see that while the current increases as the load increases, the voltage does not change and remains consistent. However, the current waveform barely has any transient duration before becoming steady. Additionally, a comparison with the PI controller is shown in Figure 9. A overshoot is visible in the PI controller outside of the transient period.

output current is distorted, but the ANN controller's current wave is consistent, steady, and has less loss.

II. DISCUSSION AND FUTURE WORK

In this work, the suggested control method is evaluated on the same reference value under various loading situations after being trained on the

same reference value ($V_c = 95$ V). The suggested ANN model will be trained in subsequent work, and its performance will be assessed against several reference values. It will also be educated on different factors like filter settings, switching frequencies, etc., suggesting a more general control approach. Additionally, we have noted that the performance of our suggested controller is comparable to that of the MPC that was employed to extract the training data. This is why the PI controller is used to do the comparison. However, the ANN-based controller outperforms the MPC since it has a consistent switching frequency and a lighter computational load.

III. CONCLUSION

In this study, we suggested a voltage control method for the DC/DC step-up converter based on feed-forward artificial neural networks. To retrieve the training data, model predictive control is utilised. The data is then used to train the ANN offline. Once the ANN has been correctly trained, the MPC is removed, and the trained ANN successfully regulates the DC/DC converter's voltage in accordance with the reference voltage. The ANN is trained, and its biases and weights are modified, using the bayesianregularised approach. In order to illustrate the effectiveness of the suggested controller, several tests were also carried out throughout the simulation, such as step changes in load and the shifting of load from full load to no load and vice versa. Through the use of simulation findings, it has been shown that the suggested control system performs more effectively overall than the traditional linear controllers. When used in DC microgrid applications, where the DC boost converters need high precision for fine-tuning controller settings, the suggested approach will be beneficial.

REFERENCES

- [1]. H. S. Khan, M. Aamir, K. Kauhaniemi, M. Mumtaz, M. W. Hassan, and M. Ali, "Improved finite control set model predictive control for distributed energy resource in islanded microgrid with fault-tolerance capability," *Engineering Science and Technology, an International Journal*, vol. 24, no. 3, pp. 694–705, 2021.
- [2]. H. S. Khan, M. Aamir, M. Ali, A. Waqar, S. U. Ali, and J. Imtiaz, "Finite control set model predictive control for parallel connected online UPS system under unbalanced and nonlinear loads," *Energies*, vol. 12, no. 4, p. 581, 2019.
- [3]. B. Sahu and G. A. Rinco'n-Mora, "A low voltage, dynamic, noninverting, synchronous buck-boost converter for portable applications," *IEEE Transactions on power electronics*, vol. 19, no. 2, pp. 443–452, 2004.
- [4]. K. Hwu and Y. Yau, "Performance enhancement of boost converter based on PID controller plus linear-to-nonlinear translator," *IEEE transactions on power electronics*, vol. 25, no. 5, pp. 1351–1361, 2009.
- [5]. C.-F. Hsu, I.-F. Chung, C.-M. Lin, and C.-Y. Hsu, "Self-regulating fuzzy control for forward DC–DC converters using an 8-bit microcontroller," *IET Power Electronics*, vol. 2, no. 1, pp. 1–13, 2009.
- [6]. I. S. Mohamed, S. A. Zaid, M. Abu-Elyazeed, and H. M. Elsayed, "Classical methods and model predictive control of three-phase inverter with output LC filter for UPS applications," in *2013 International Conference on Control, Decision and Information Technologies (CoDIT)*. IEEE, 2013, pp. 483–488.
- [7]. T.-F. Wu, C.-H. Chang, and Y.-H. Chen, "A fuzzy-logic-controlled single-stage converter for PV-powered lighting system applications," *IEEE Transactions on Industrial Electronics*, vol. 47, no. 2, pp. 287–296, 2000.
- [8]. T. Gupta, R. Boudreaux, R. M. Nelms, and J. Y. Hung, "Implementation of a fuzzy controller for DC-DC converters using an inexpensive 8-b microcontroller," *IEEE transactions on Industrial Electronics*, vol. 44, no. 5, pp. 661–669, 1997.
- [9]. S. J. Jawhar, N. Marimuthu, and N. A. Singh, "An neuro-fuzzy controller for a non linear power electronic boost converter," in *2006 International Conference on Information and Automation*. IEEE, 2006, pp. 394–397.
- [10]. I. S. Mohamed, S. Rovetta, T. D. Do, T. Dragicevic', and A. A. Z. Diab, "A neural-network-based model predictive control of three-phase inverter with an output LC filter," *IEEE Access*, vol. 7, pp. 124 737–124 749, 2019.
- [11]. S. Oucheriah and L. Guo, "PWM-based adaptive sliding-mode control for boost DC–DC converters," *IEEE Transactions on industrial electronics*, vol. 60, no. 8, pp. 3291–3294, 2012.
- [12]. H. S. Khan, K. S. Fuad, M. Karimi, and K. Kauhaniemi, "Fault current level analysis of future microgrids with high penetration level of power electronic-based generation," in *2021 IEEE 9th International Conference on Smart Energy Grid Engineering (SEGE)*.

- IEEE, 2021, pp. 48–53.
- [13]. I. S. Mohamed, S. A. Zaid, M. Abu-Elyazeed, and H. M. Elsayed, “Im- proved model predictive control for three-phase inverter with output LC filter,” *International Journal of Modelling, Identification and Control*, vol. 23, no. 4, pp. 371–379, 2015.
- [14]. P. Karamanakos, T. Geyer, and S. Manias, “Direct voltage control of DC–DC boost converters using enumeration-based model predictive control,” *IEEE transactions on power electronics*, vol. 29, no. 2, pp. 968–978, 2013.
- [15]. L. Cheng, P. Acuna, R. P. Aguilera, J. Jiang, S. Wei, J. E. Fletcher, and D. D. Lu, “Model predictive control for DC–DC boost converters with reduced-prediction horizon and constant switching frequency,” *IEEE Transactions on Power Electronics*, vol. 33, no. 10, pp. 9064–9075, 2017.
- [16]. B.-R. Lin, “Power converter control based on neural and fuzzy methods,” *Electric power systems research*, vol. 35, no. 3, pp. 193–206, 1995.
- [17]. P. B. Malidarreh, A. Bakeer, I. S. Mohamed, and L. Liu, “An artificial neural network-based model predictive control for three-phase flying capacitor multi-level inverter,” *arXiv preprint arXiv:2110.08101*, 2021.
- [18]. S. Saadatmand, P. Shamsi, and M. Ferdowsi, “The voltage regulation of a buck converter using a neural network predictive controller,” in *2020 IEEE Texas Power and Energy Conference (TPEC)*. IEEE, 2020, pp. 1–6.
- [19]. S. Saadatmand, M. S. S. Nia, P. Shamsi, M. Ferdowsi, and D. C. Wunsch, “Neural network predictive controller for grid-connected virtual synchronous generator,” in *2019 North American Power Symposium (NAPS)*. IEEE, 2019, pp. 1–6.
- [20]. S. Zhao, F. Blaabjerg, and H. Wang, “An overview of artificial intelligence applications for power electronics,” *IEEE Transactions on Power Electronics*, 2020.
- [21]. F. D. Foresee and M. T. Hagan, “Gauss-newton approximation to bayesian learning,” in *Proceedings of international conference on neural networks (ICNN’97)*, vol. 3. IEEE, 1997, pp. 1930–1935.